# Models: 581, 582

### Cast Carbon Steel Screwed and Socket Weld End Y Strainers Sizes: 1/4" - 2" (6 - 50mm)

Pressure/Temperature - Non-Shock						
Model	Material	Rating				
581, 582	Carbon	1480psi @-20°F to 100°F				
	Steel	102.04 bar @ 37.8°C				
		1015psi @ 750°F				
		69.98 bar @ 389.89°C				

581	screwed	Class	600
<b>582</b>	socket weld	Class	600



Model 581

## **Typical Service**

- Used extensively to strain foreign matter from pipelines and provide economical protection for costly pumps, meters, valves, and other similar mechanical equipment.
- These are especially critical where weld debris is often present in the pipeline.
- Well suited for long service in high pressure and temperature applications.

#### Features

- Machined seats in both body and cap align and lock the screen in place to stop sediment bypass.
- Machined seats facilitate alignment and accurate reseating after servicing.

### Construction

- Straight threaded, gasketed cap is used for easy disassembly and assembly. Many others use Loctite, rendering disassembly virtually impossible.
- Heavy duty, rugged bodies with extra heavy bore.

### Self-Cleaning

• Self-cleaning is accomplished by opening the plug or valve connected to the blowoff outlet

# **Blowoff Outlets**

- Outlets are NPT tapped
- Sizes of tapping specified on next page
- Not normally furnished with plug. Plug available, specify with order.
- Blind caps are also available, specify with order.

## Capacity

- Generously proportioned bodies
- Open Area Ratio much greater than pipe size, ensuring low pressure drop

Job Name	Contractor
Job Location	Approval
Engineer	Contractor's P.O. No.
Approval	Representative



### Screens

		STANDAR	D (WATER)	STEAM RECOMMENDATION		
MODEL	SIZES	MATERIAL	OPENING	MATERIAL	OPENING	
581, 582	<sup>1</sup> /4" – 2"	304SS	.062 perf	304SS	.033 perf	

## Materials


	581	582
Body	Carbon Steel ASTM A216 Gr. WCB	Carbon Steel ASTM A216 Gr. WCB
Screen	304 Stainless Steel ASTM A240	304 Stainless Steel ASTM A240
Gasket	Spiral Wound Graphite Filled	Spiral Wound Graphite Filled

# **Pressure Drop**

• See Pressure Drop Charts in Technical Data Section of the Mueller Steam Specialty Engineering binder.


# **Dimensions and Weights**

SI	ZE	DIMENSIONS							WEIGHT		
		A	l l	В		<b>C</b> (NPT)		<b>D</b> Screen Removal			
in.	mm	in.	mm	in.	mm	in.	mm	in.	mm	lbs.	kgs.
1⁄4	6	<b>2</b> <sup>15</sup> /16	76	23%	60	1⁄4	6	<b>2</b> ½	64	2	.91
3⁄8	10	<b>2</b> <sup>15</sup> /16	76	23/8	60	1⁄4	6	<b>2</b> ½	64	2	.91
1/2	15	<b>2</b> <sup>15</sup> /16	76	23/8	60	1⁄4	6	<b>2</b> ½	64	2	.91
3⁄4	20	<b>3</b> <sup>1</sup> / <sub>16</sub>	95	<b>2</b> <sup>13</sup> /16	72	3/8	10	33/8	86	3	1.36
1	25	<b>4</b> <sup>9</sup> ⁄ <sub>16</sub>	117	<b>3</b> ½	130	3⁄8	10	43⁄4	121	5	2.27
11/4	32	<b>4</b> <sup>15</sup> / <sub>16</sub>	127	4	102	3⁄4	20	<b>5</b> <sup>1</sup> ⁄ <sub>4</sub>	133	6.8	3.08
11/2	40	<b>5</b> %16	143	43⁄4	121	3⁄4	20	6	152	9.8	4.45
2	50	<b>6</b> <sup>15</sup> ⁄16	178	6	152	1	25	75%	194	15	6.8



Apply For Certified Drawings.





Model 582

ISO 9001-2008

Mueller Steam Specialty product specifications in U.S. customary units and metric are approximate and are provided for reference only. For precise measurements, please contact Mueller Steam Specialty Technical Service. Mueller Steam Specialty reserves the right to change or modify product design, construction, specifications, or materials without prior notice and without incurring any obligation to make such changes and modifications on Mueller Steam Specialty products previously or subsequently sold.



A Watts Water Technologies Company

ES-MS-581\_582 1020